# Development

Volume 120 1994

**Editor in Chief**

**Chris Wylie**

**European Editors**

**Peter Lawrence**

**Keith Roberts**

**USA and Canadian Editors**

**Corey Goodman**

**Tom Jessell**

**Doug Melton**

**Janet Rossant**

**Editorial Advisory Board**

Michael Akam (Cambridge)
David Anderson (Pasadena)
Michael Bate (Cambridge)
Rosa Beddington (Mill Hill)
Jeremy Brockes (London)
Marianne Bronner-Fraser (Irvine)
Steve Burden (MIT)
Enrico Coen (Norwich)
Caroline Damsky (San Francisco)
Eric Davidson (Pasadena)
Wolfgang Driever (Charlestown)
Gregor Eichele (Houston)
Chip Ferguson (Chicago)
Charles ffrench-Constant (Cambridge)
Mark Fishman (Charlestown)
Joseph Frankel (Iowa)
Michael Freeling (Berkeley)
Walter Gehring (Basel)
Peter Gruss (Göttingen)
John Gurdon (Cambridge)
Richard Harland (Berkeley)
John Heath (Oxford)
Brigid Hogan (Vanderbilt)
Phil Ingham (Oxford)
Rudolf Jaenisch (Whitehead, MIT)
William Jeffery (Bodega Bay)
Martin Johnson (Cambridge)
Gerd Jurgens (Munich)
Rob Kay (Cambridge)
Cynthia Kenyon (San Francisco)
Judith Kimble (Madison)
Charles Kimmel (Eugene)
Chris Kintner (La Jolla)
Robb Krumlauf (London)
Ruth Lehmann (Whitehead, MIT)
Julian Lewis (Oxford)
Andrew Lumsden (London)
Andrew McMahon (Harvard)
Gail Martin (San Francisco)
Elliot Meyerowitz (Pasadena)
Tim Nelson (New Haven)
Janni Nüsslein (Tubingen)
Scott Poethig (Pennsylvania)
Martin Raff (London)
Elizabeth Robertson (Harvard)
Josh Sanes (St Louis)
Matthew Scott (Stanford)
Pat Simpson (Strasbourg)
Jim Smith (London)
Claudio Stern (New York)
Sidney Strickland (Stony Brook)
Gary Struhl (Columbia)
Azim Surani (Cambridge)
Ian Sussex (Berkeley)
Cliff Tabin (Harvard)
Masatoshi Takeichi (Kyoto)
Marc Tessier-Lavigne (San Francisco)
David Weisblat (Berkeley)
Jeff Williams (ICRF, Clare Hall)

Published by The Company of Biologists Limited, Cambridge

*The Company of Biologists Limited*, founded in 1925, is a 'Company Limited by Guarantee' having tax-exempt charitable status. There is a Board of Directors consisting of about 20 professional biologists, two of them appointed annually by the Society for Experimental Biology, who receive no salary or fees for their services. The Company's main function is to own and produce *The Journal of Experimental Biology*, the *Journal of Cell Science* and *Development*, and to appoint the Editors of these journals. These are part-time appointments held by established professional biologists of some eminence, and once they have been appointed the Company exercises no control over editorial policy.

The Company is precluded by its charitable status from making a commercial profit on its operations, and its aim is to produce high-quality journals at the lowest possible price. Any surplus on publishing not required for the journals' reserves is transferred to an Educational Trust Fund, which makes substantial grants in aid of societies concerned with the fields of interest covered by the Company's journals. Grants are also made to conferences and summer schools in the fields of its journals.

Typeset, Printed and Published by
The Company of Biologists Limited
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ

© The Company of Biologists Limited 1994

## Authors' correction

**Xu, Z., Kopf, G. S. and Schultz, R. M.** Involvement of inositol 1,4,5-trisphosphate-mediated calcium release in early and late events of mouse egg activation. *Development* **120**, 1851-1859 (July issue).

For figures 3 and 4, the first bar that is marked UE should read as FE. In the legend to figure 3, the wording of the second sentence should read as follows: "Eggs were microinjected with the indicated proteins, inseminated and the incidence of polyspermy, i.e., two or more sperm present within the cytoplasm of the egg, was determined."

## Erratum

The correct title for the article by **E. Eldon, S. Kooyer, D. D'Evelyn, M. Duman, P. Lawinger, J. Botas and H. Bellen**, *Development* **120**, 885-899 (1994) is 'The *Drosophila 18 wheeler* gene is required for morphogenesis and has striking similarities to *Toll*'.

# Contents

Volume 120 1994

**Cifuentes-Diaz, C., Nicolet, M., Goudou, D., Rieger, F. and Mege, R. M.**
N-cadherin expression in developing, adult and denervated chicken neuromuscular system: accumulations at both the neuromuscular junction and the node of Ranvier 1-11

**Johnson, F. and Bottjer, S. W.**
Afferent influences on cell death and birth during development of a cortical nucleus necessary for learned vocal behavior in zebra finches 13-24

**Lutz, B., Kuratani, S., Cooney, A. J., Wawersik, S., Tsai, S. Y., Eichele, G. and Tsai, M.-J.**
Developmental regulation of the orphan receptor *COUP-TF II* gene in spinal motor neurons 25-36

**Pruitt, S. C.**
Primitive streak mesoderm-like cell lines expressing *Pax-3* and *Hox* gene autoinducing activities 37-47

**Heasman, J., Ginsberg, D., Geiger, B., Goldstone, K., Pratt, T., Yoshida-Noro, C. and Wylie, C.**
A functional test for maternally inherited cadherin in *Xenopus* shows its importance in cell adhesion at the blastula stage 49-57

**Volk, T. and VijayRaghavan, K.**
A central role for epidermal segment border cells in the induction of muscle patterning in the *Drosophila* embryo 59-70

**Fjose, A., Izpisúa-Belmonte, J.-C., Fromental-Ramain, C. and Duboule, D.**
Expression of the zebrafish gene *hlx-1* in the prechordal plate and during CNS development 71-81

**Jaglarz, M. K. and Howard, K. R.**
Primordial germ cell migration in *Drosophila melanogaster* is controlled by somatic tissue 83-89

**Grinblat, Y., Zusman, S., Yee, G., Hynes, R. O. and Kafatos, F. C.**
Functions of the cytoplasmic domain of the $\beta_{PS}$ integrin subunit during *Drosophila* development 91-102

**Oakley, R. A., Lasky, C. J., Erickson, C. A. and Tosney, K. W.**
Glycoconjugates mark a transient barrier to neural crest migration in the chicken embryo 103-114

**Vidricaire, G., Jardine, K. and McBurney, M. W.**
Expression of the *Brachyury* gene during mesoderm development in differentiating embryonal carcinoma cell cultures 115-122

**Menne, T. V. and Klämbt, C.**
The formation of commissures in the *Drosophila* CNS depends on the midline cells and on the *Notch* gene 123-133

**Gomperts, M., Garcia-Castro, M., Wylie, C. and Heasman, J.**
Interactions between primordial germ cells play a role in their migration in mouse embryos 135-141

**Mayer, M., Bhakoo, K. and Noble, M.**
Ciliary neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro 143-153

**Roberts, S. K., Gillot, I. and Brownlee, C.**
Cytoplasmic calcium and *Fucus* egg activation 155-163

**Lawler, S., Candia, A. F., Ebner, R., Shum, L., Lopez, A. R., Moses, H. L., Wright, C. V. E. and Derynck, R.**
The murine type II TGF-β receptor has a coincident embryonic expression and binding preference for TGF-β1 165-175

**Oberlender, S. A. and Tuan, R. S.**
Expression and functional involvement of N-cadherin in embryonic limb chondrogenesis 177-187

**Baarends, W. M., van Helmond, M. J. L., Post, M., van der Schoot, P. J. C. M., Hoogerbrugge, J. W., de Winter, J. P., Uilenbroek, J. Th. J., Karels, B., Wilming, L. G., Meijers, J. H. C., Themmen, A. P. N. and Grootegoed, J. A.**
A novel member of the transmembrane serine/threonine kinase receptor family is specifically expressed in the gonads and in mesenchymal cells adjacent to the müllerian duct 189-197

**Ip, Y. T., Levine, M. and Bier, E.**
Neurogenic expression of *snail* is controlled by separable CNS and PNS promoter elements 199-207

**Francis, P. H., Richardson, M. K., Brickell, P. M. and Tickle, C.**
Bone morphogenetic proteins and a signalling pathway that controls patterning in the developing chick limb 209-218

**Truman, J. W., Talbot, W. S., Fahrbach, S. E. and Hogness, D. S.**
Ecdysone receptor expression in the CNS correlates with stage-specific responses to ecdysteroids during *Drosophila* and *Manduca* development 219-234

**Nishida, H.**
Localization of egg cytoplasm that promotes differentiation to epidermis in embryos of the ascidian *Halocynthia roretzi* 235-243

**Upchurch, B. H., Aponte, G. W. and Leiter, A. B.**
Expression of peptide YY in all four islet cell types in the developing mouse pancreas suggests a common peptide YY-producing progenitor 245-252

**Frumkin, A., Pillemer, G., Haffner, R., Tarcic, N., Gruenbaum, Y. and Fainsod, A.**
A role for *CdxA* in gut closure and intestinal epithelia differentiation 253-263

**Kimmel, C. B., Warga, R. M. and Kane, D. A.**
Cell cycles and clonal strings during formation of the zebrafish central nervous system 265-276

**Xu, X., Xu, P.-X. and Suzuki, Y.**
A maternal homeobox gene, *Bombyx caudal*, forms both mRNA and protein concentration gradients spanning anteroposterior axis during gastrulation 277-285

**Xu, Q., Holder, N., Patient, R. and Wilson, S. W.**
Spatially regulated expression of three receptor tyrosine kinase genes during gastrulation in the zebrafish 287-299

**Merry, D. E., Veis, D. J., Hickey, W. F., Korsmeyer, S. J.**
bcl-2 protein expression is widespread in the developing nervous system and retained in the adult PNS 301-311

**Austin, J. and Kenyon, C.**
Cell contact regulates neuroblast formation in the *Caenorhabditis elegans* lateral epidermis 313-324

**Pecorino, L. T., Lo, D. C. and Brockes, J. P.**
Isoform-specific induction of a retinoid-responsive antigen after biolistic transfection of chimaeric retinoic acid/thyroid hormone receptors into a regenerating limb 325-333

**Pavlova, A., Boutin, E., Cunha, G. and Sassoon, D.**
*Msx1* (*Hox-7.1*) in the adult mouse uterus: cellular interactions underlying regulation of expression 335-346

**Theisen, H., Purcell, J., Bennett, M., Kansagara, D., Syed, A. and Marsh, J. L.**
*dishevelled* is required during *wingless* signaling to establish both cell polarity and cell identity 347-360

**Ohlsson, R., Hedborg, F., Holmgren, L., Walsh, C. and Ekström, T. J.**
Overlapping patterns of *IGF2* and *H19* expression during human development: biallelic *IGF2* expression correlates with a lack of *H19* expression 361-368

**Peifer, M., Sweeton, D., Casey, M. and Wieschaus, E.**
*wingless* signal and Zeste-white 3 kinase trigger opposing changes in the intracellular distribution of Armadillo 369-380

**Cummings, C. A. and Cronmiller, C.**
The *daughterless* gene functions together with *Notch* and *Delta* in the control of ovarian follicle development in *Drosophila* 381-394

**McCain, E. R. and McClay, D. R.**
The establishment of bilateral asymmetry in sea urchin embryos 395-404

**Jackson, D., Veit, B. and Hake, S.**
Expression of maize *KNOTTED1* related homeobox genes in the shoot apical meristem predicts patterns of morphogenesis in the vegetative shoot 405-413

**Frenz, D. A., Liu, W., Williams, J. D., Hatcher, V., Galinovic-Schwartz, V., Flanders, K. C. and Van De Water, T. R.**
Induction of chondrogenesis: requirement for synergistic interaction of basic fibroblast growth factor and transforming growth factor-beta 415-424

**Zhang, X. and Sarras Jr., M. P.**
Cell-extracellular matrix interactions under in vivo conditions during interstitial cell migration in *Hydra vulgaris* 425-432

**Sater, A. K., Alderton, J. M. and Steinhardt, R. A.**
An increase in intracellular pH during neural induction in *Xenopus* 433-442

**Edgar, L. G., Wolf, N. and Wood, W. B.**
Early transcription in *Caenorhabditis elegans* embryos 443-451

**Cornell, R. A. and Kimelman, D.**
Activin-mediated mesoderm induction requires FGF 453-462

**LaBonne, C. and Whitman, M.**
Mesoderm induction by activin requires FGF-mediated intracellular signals 463-472

**Diederich, R. J., Matsuno, K., Hing, H. and Artavanis-Tsakonas, S.**
Cytosolic interaction between deltex and Notch ankyrin repeats implicates deltex in the Notch signaling pathway 473-481

**Schilling, T. F. and Kimmel, C. B.**
Segment and cell type lineage restrictions during pharyngeal arch development in the zebrafish embryo 483-494

**Raible, D. W. and Eisen, J. S.**
Restriction of neural crest cell fate in the trunk of the embryonic zebrafish 495-503

**Hope, I. A.**
PES-1 is expressed during early embryogenesis in *Caenorhabditis elegans* and has homology to the fork head family of transcription factors 505-514

**Lin, S.-C., Li, S., Drolet, D. W. and Rosenfeld, M. G.**
Pituitary ontogeny of the Snell dwarf mouse reveals Pit-1-independent and Pit-1-dependent origins of the thyrotrope 515-522

**Giangrande, A.**
Glia in the fly wing are clonally related to epithelial cells and use the nerve as a pathway for migration 523-534

**Speicher, S. A., Thomas, U., Hinz, U. and Knust, E.**
The *Serrate* locus of *Drosophila* and its role in morphogenesis of the wing imaginal discs: control of cell proliferation 535-544

**Fehon, R. G., Dawson, I. A. and Artavanis-Tsakonas, S.**
A *Drosophila* homologue of membrane-skeleton protein 4.1 is associated with septate junctions and is encoded by the *coracle* gene 545-557

**Hwang, S.-P. L., Partin, J. S. and Lennarz, W. J.**
Characterization of a homolog of human bone morphogenetic protein 1 in the embryo of the sea urchin, *Strongylocentrotus purpuratus* 559-568

**Diaz-Benjumea, F. J. and Hafen, E.**
The sevenless signalling cassette mediates *Drosophila* EGF receptor function during epidermal development 569-578

**Tepass, U. and Hartenstein, V.**
Epithelium formation in the *Drosophila* midgut depends on the interaction of endoderm and mesoderm 579-590

**Traynor, D., Tasaka, M., Takeuchi, I. and Williams, J.**
Aberrant pattern formation in myosin heavy chain mutants of *Dictyostelium* 591-601

**Bober, E., Franz, T., Arnold, H.-H., Gruss, P. and Tremblay, P.**
*Pax-3* is required for the development of limb muscles: a possible role for the migration of dermomyotomal muscle progenitor cells 603-612

**Beddington, R. S. P.**
Induction of a second neural axis by the mouse node 613-620

**Couso, J. P., Bishop, S. A. and Martinez Arias, A.**
The wingless signalling pathway and the patterning of the wing margin in *Drosophila* 621-636

**Tucker, R. P., Spring, J., Baumgartner, S., Martin, D., Hagios, C., Poss, P. M. and Chiquet-Ehrismann, R.**
Novel tenascin variants with a distinctive pattern of expression in the avian embryo 637-647

**Noll, E. and Miller, R. H.**
Regulation of oligodendrocyte differentiation: a role for retinoic acid in the spinal cord 649-660

**Julian, J., Chiquet-Ehrismann, R., Erickson, H. P. and Carson, D. D.**
Tenascin is induced at implantation sites in the mouse uterus and interferes with epithelial cell adhesion 661-671

**Langdale, J. A. and Kidner, C. A.**
*bundle sheath defective*, a mutation that disrupts cellular differentiation in maize leaves 673-681

**Marcelle, C., Eichmann, A., Halevy, O., Bréant, C. and Le Douarin, N. M.**
Distinct developmental expression of a new avian fibroblast growth factor receptor 683-694

**Millen, K. J., Wurst, W., Herrup, K. and Joyner, A. L.**
Abnormal embryonic cerebellar development and patterning of postnatal foliation in two mouse *Engrailed-2* mutants 695-706

**Steinmann-Zwicky, M.**
Sex determination of the *Drosophila* germ line: *tra* and *dsx* control somatic inductive signals 707-716

**Verheyen, E. M. and Cooley, L.**
Profilin mutations disrupt multiple actin-dependent processes during *Drosophila* development 717-728

**Horgan, A. M., Lagrange, M. T. and Copenhaver, P. F.**
Developmental expression of G proteins in a migratory population of embryonic neurons 729-742

**Affolter, M., Montagne, J., Walldorf, U., Groppe, J., Kloter, U., LaRosa, M. and Gehring, W. J.**
The *Drosophila* SRF homolog is expressed in a subset of tracheal cells and maps within a genomic region required for tracheal development 743-753

**Michelson, A. M.**
Muscle pattern diversification in *Drosophila* is determined by the autonomous function of homeotic genes in the embryonic mesoderm 755-768

**Jasoni, C. L., Walker, M. B., Morris, M. D. and Reh, T. A.**
A chicken achaete-scute homolog (CASH-1) is expressed in a temporally and spatially discrete manner in the developing nervous system 769-783

**Williams, B. A. and Ordahl, C. P.**
*Pax-3* expression in segmental mesoderm marks early stages in myogenic cell specification 785-796

**Renard, J.-P., Baldacci, P., Richoux-Duranthon, V., Pournin, S. and Babinet, C.**
A maternal factor affecting mouse blastocyst formation 797-802

**Albano, R. M., Arkell, R., Beddington, R. S. P. and Smith, J. C.**
Expression of inhibin subunits and follistatin during postimplantation mouse development: decidual expression of activin and expression of follistatin in primitive streak, somites and hindbrain 803-813

**Kramatschek, B. and Campos-Ortega, J. A.**
Neuroectodermal transcription of the *Drosophila* neurogenic genes *E(spl)* and *HLH-m5* is regulated by proneural genes 815-826

**Irvine, K. D. and Wieschaus, E.**
Cell intercalation during *Drosophila* germband extension and its regulation by pair-rule segmentation genes 827-841

**Schulte-Merker, S., Hammerschmidt, M., Beuchle, D., Cho, K. W., De Robertis, E. M. and Nüsslein-Volhard, C.**
Expression of zebrafish *goosecoid* and *no tail* gene products in wild-type and mutant *no tail* embryos 843-852

**Leptin, M. and Roth, S.**
Autonomy and non-autonomy in *Drosophila* mesoderm determination and morphogenesis 853-859

**Finelli, A. L., Bossie, C. A., Xie, T. and Padgett, R. W.**
Mutational analysis of the *Drosophila tolloid* gene, a human BMP-1 homolog 861-870

**Yutzey, K. E., Rhee, J. T. and Bader, D.**
Expression of the atrial-specific myosin heavy chain AMHC1 and the establishment of anteroposterior polarity in the developing chicken heart 871-883

**Eldon, E., Kooyer, S., D'Evelyn, D., Duman, M., Lawinger, P., Botas, J. and Bellen, H.**
The *Drosophila 18 wheeler* is required for morphogenesis and has striking similarities to *Toll* 885-899

**Levine, E., Lee, C. H., Kintner, C. and Gumbiner, B. M.**
Selective disruption of E-cadherin function in early *Xenopus* embryos by a dominant negative mutant 901-909

**Prince, V. and Lumsden, A.**
*Hoxa-2* expression in normal and transposed rhombomeres: independent regulation in the neural tube and neural crest 911-923

**Cusella-De Angelis, M. G., Molinari, S., Le Donne, A., Coletta, M., Vivarelli, E., Bouche, M., Molinaro, M., Ferrari, S. and Cossu, G.**
Differential response of embryonic and fetal myoblasts to TGFβ: a possible regulatory mechanism of skeletal muscle histogenesis 925-933

**Vaessin, H., Brand, M., Jan, L. Y. and Jan, Y. N.**
*daughterless* is essential for neuronal precursor differentiation but not for initiation of neuronal precursor formation in *Drosophila* embryo 935-945

**Lin, H., Yue, L. and Spradling, A. C.**
The *Drosophila* fusome, a germline-specific organelle, contains membrane skeletal proteins and functions in cyst formation 947-956

**Goulding, M., Lumsden, A. and Paquette, A. J.**
Regulation of *Pax-3* expression in the dermomyotome and its role in muscle development 957-971

**Dekker, E.-J., Vaessen, M.-J., van den Berg, C., Timmermans, A., Godsave, S., Holling, T., Nieuwkoop, P., van Kessel, A. G. and Durston, A.**
Overexpression of a cellular retinoic acid binding protein (*xCRABP*) causes anteroposterior defects in developing *Xenopus* embryos 973-985

**Capdevila, J., Pariente, F., Sampedro, J., Alonso, J. L. and Guerrero, I.**
Subcellular localization of the segment polarity protein patched suggests an interaction with the wingless reception complex in *Drosophila* embryos 987-998

**Temple, S. and Davis, A. A.**
Isolated rat cortical progenitor cells are maintained in division in vitro by membrane-associated factors 999-1008

**Schulte-Merker, S., van Eeden, F. J. M., Halpern, M. E., Kimmel, C. B. and Nüsslein-Volhard, C.**
*no tail* (*ntl*) is the zebrafish homologue of the mouse *T* (*Brachyury*) gene 1009-1015

**Verlhac, M.-H., Kubiak, J. Z., Clarke, H. J. and Maro, B.**
Microtubule and chromatin behavior follow MAP kinase activity but not MPF activity during meiosis in mouse oocytes 1017-1025

**Lee, K.-F., Davies, A. M. and Jaenisch, R.**
p75-deficient embryonic dorsal root sensory and neonatal sympathetic neurons display a decreased sensitivity to NGF 1027-1033

**Herman, M. A. and Horvitz, H. R.**
The *Caenorhabditis elegans* gene *lin-44* controls the polarity of asymmetric cell divisions 1035-1047

**Mozer, B. A. and Benzer, S.**
Ingrowth by photoreceptor axons induces transcription of a retrotransposon in the developing *Drosophila* brain 1049-1058

**Gao, W.-Q. and Hatten, M. E.**
Immortalizing oncogenes subvert the establishment of granule cell identity in developing cerebellum 1059-1070

**Das, S. K., Wang, X.-N., Paria, B. C., Damm, D., Abraham, J. A., Klagsbrun, M., Andrews, G. K. and Dey, S. K.**
Heparin-binding EGF-like growth factor gene is induced in the mouse uterus temporally by the blastocyst solely at the site of its apposition: a possible ligand for interaction with blastocyst EGF-receptor in implantation 1071-1083

**Filvaroff, E. H., Ebner, R. and Derynck, R.**
Inhibition of myogenic differentiation in myoblasts expressing a truncated type II TGF-β receptor 1085-1095

**Barres, B. A., Lazar, M. A. and Raff, M. C.**
A novel role for thyroid hormone, glucocorticoids and retinoic acid in timing oligodendrocyte development 1097-1108

**Wallin, J., Wilting, J., Koseki, H., Fritsch, R., Christ, B. and Balling, R.**
The role of *Pax-1* in axial skeleton development 1109-1121

**Reuter, R.**
The gene *serpent* has homeotic properties and specifies endoderm versus ectoderm within the *Drosophila* gut 1123-1135

**Reuter, R. and Leptin, M.**
Interacting functions of *snail*, *twist* and *huckebein* during the early development of germ layers in *Drosophila* 1137-1150

**Zhang, Y., Ungar, A., Fresquez, C. and Holmgren, R.**
Ectopic expression of either the *Drosophila gooseberry-distal* or *proximal* gene causes alterations of cell fate in the epidermis and central nervous system 1151-1161

**Meins Jr, F. and Seldran, M.**
Pseudodirected variation in the requirement of cultured plant cells for cell-division factors 1163-1168

**Yin, Y., Rogers, P. V. and Rutherford, C. L.**
Dual regulation of the *glycogen phosphorylase 2* gene of *Dictyostelium discoideum*: the effects of DIF-1, cAMP, $NH_3$ and adenosine 1169-1178

**Bauer, D. V., Huang, S. and Moody, S. A.**
The cleavage stage origin of Spemann's Organizer: analysis of the movements of blastomere clones before and during gastrulation in *Xenopus* 1179-1189

**Lemaire, P. and Gurdon, J. B.**
A role for cytoplasmic determinants in mesoderm patterning: cell-autonomous activation of the *goosecoid* and *Xwnt-8* genes along the dorsoventral axis of early *Xenopus* embryos 1191-1199

**Liang, L., Diehl-Jones, W. and Lasko, P.**
Localization of vasa protein to the *Drosophila* pole plasm is independent of its RNA-binding and helicase activities 1201-1211

**Houliston, E.**
Microtubule translocation and polymerisation during cortical rotation in *Xenopus* eggs 1213-1220

**Brown, N. H.**
Null mutations in the $\alpha_{PS2}$ and $\beta_{PS}$ integrin subunit genes have distinct phenotypes 1221-1231

**Ran, B., Bopp, R. and Suter, B.**
Null alleles reveal novel requirements for *Bic-D* during *Drosophila* oogenesis and zygotic development 1233-1242

**Schneider, D. S., Jin, Y., Morisato, D. and Anderson, K. V.**
A processed form of the Spätzle protein defines dorsal-ventral polarity in the *Drosophila* embryo 1243-1250

**Edmondson, D. G., Lyons, G. E., Martin, J. F. and Olson, E. N.**
*Mef2* gene expression marks the cardiac and skeletal muscle lineages during mouse embryogenesis 1251-1263

**Robson, L. G., Kara, T., Crawley, A. and Tickle, C.**
Tissue and cellular patterning of the musculature in chick wings 1265-1276

**Salinas, P. C., Fletcher, C., Copeland, N. G., Jenkins, N. A. and Nusse, R.**
Maintenance of *Wnt-3* expression in Purkinje cells of the mouse cerebellum depends on interactions with granule cells 1277-1286

**Feltri, M. L., Scherer, S. S., Nemni, R., Kamholz, J., Vogelbacker, H., Scott, M. O., Canal, N., Quaranta, V. and Wrabetz, L.**
$B_4$ integrin expression in myelinating Schwann cells is polarized, developmentally regulated and axonally dependent 1287-1301

**Newmark, P. A. and Boswell, R. E.**
The *mago nashi* locus encodes an essential product required for germ plasm assembly in *Drosophila* 1303-1313

**Sharma, K., Korade, Z. and Frank, E.**
Development of specific muscle and cutaneous sensory projections in cultured segments of spinal cord 1315-1323

**Laidlaw, M. and Wessel, G. M.**
Cortical granule biogenesis is active throughout oogenesis in sea urchins 1325-1333

**Holdener, B. C., Faust, C., Rosenthal, N. S. and Magnuson, T.**
*msd* is required for mesoderm induction in mice 1335-1346

**Birgbauer, E. and Fraser, S. E.**
Violation of cell lineage restriction compartments in the chick hindbrain 1347-1356

**Cecchini, M. G., Dominguez, M. G., Mocci, S., Wetterwald, A., Felix, R., Fleisch, H., Chisholm, O., Hofstetter, W., Pollard, J. W. and Stanley, E. R.**
Role of colony stimulating factor-1 in the establishment and regulation of tissue macrophages during postnatal development of the mouse 1357-1372

**Mahanthappa, N. K., Cooper, D. N. W., Barondes, S. H. and Schwarting, G. A.**
Rat olfactory neurons can utilize the endogenous lectin, L-14, in a novel adhesion mechanism 1373-1384

**Giniger, E., Tietje, K., Jan, L. Y. and Jan, Y. N.**
*lola* encodes a putative transcription factor required for axon growth and guidance in *Drosophila* 1385-1398

**Morgan, L., Jessen, K. R. and Mirsky, R.**
Negative regulation of the $P_o$ gene in Schwann cells: suppression of $P_o$ mRNA and protein induction in cultured Schwann cells by FGF2 and TGFβ1, TGFβ2 and TGFβ3 1399-1409

**Bhattacharyya, A., Brackenbury, R. and Ratner, N.**
Axons arrest the migration of Schwann cell precursors 1411-1420

**Rotello, R. J., Fernandez, P.-A. and Yuan, J.**
Anti-apogens and anti-engulfens: monoclonal antibodies reveal specific antigens on apoptotic and engulfment cells during chicken embryonic development 1421-1431

**Schweisguth, F. and Posakony, J. W.**
Antagonistic activities of *Suppressor of Hairless* and *Hairless* control alternative cell fates in the *Drosophila* adult epidermis 1433-1441

**Buffinger, N. and Stockdale, F. E.**
Myogenic specification in somites: induction by axial structures 1443-1452

**Dickinson, M. E., Krumlauf, R. and McMahon, A. P.**
Evidence for a mitogenic effect of Wnt-1 in the developing mammalian central nervous system 1453-1471

**Allen, N. D., Barton, S. C., Hilton, K., Norris, M. L. and Surani, M. A.**
A functional analysis of imprinting in parthenogenetic embryonic stem cells 1473-1482

**Bhat, K. M. and Schedl, P.**
The *Drosophila miti-mere* gene, a member of the POU family, is required for the specification of the RP2/sibling lineage during neurogenesis 1483-1501

**Duronio, R. J. and O'Farrell, P. H.**
Developmental control of a $G_1$-S transcriptional program in *Drosophila* 1503-1515

**Skeath, J. B., Panganiban, G. F. and Carroll, S. B.**
The *ventral nervous system defective* gene controls proneural gene expression at two distinct steps during neuroblast formation in *Drosophila* 1517-1524

**Taira, M., Otani, H., Jamrich, M. and Dawid, I. B.**
Expression of the LIM class homeobox gene *Xlim-1* in pronephros and CNS cell lineages of *Xenopus* embryos is affected by retinoic acid and exogastrulation 1525-1536

**Ashley, J. A. and Katz, F. N.**
Competition and position-dependent targeting in the development of the *Drosophila* R7 visual projections 1537-1547

**Zambrowicz, B. P., Zimmermann, J. W., Harendza, C. J., Simpson, E. M., Page, D. C., Brinster, R. L. and Palmiter, R. D.**
Expression of a mouse *Zfy-1*/*lacZ* transgene in the somatic cells of the embryonic gonad and germ cells of the adult testis 1549-1559

**Dawes, R., Dawson, I., Falciani, F., Tear, G. and Akam, M.**
*Dax*, a locust Hox gene related to *fushi-tarazu* but showing no pair-rule expression 1561-1572

**Buj-Bello, A., Pinon, L. G. P. and Davies, A. M.**
The survival of NGF-dependent but not BDNF-dependent cranial sensory neurons is promoted by several different neurotrophins early in their development 1573-1580

**Lumsden, A., Clarke, J. D. W., Keynes, R. and Fraser, S.**
Early phenotypic choices by neuronal precursors, revealed by clonal analysis of the chick embryo hindbrain 1581-1589

**Shiomi, K., Takeichi, M., Nishida, Y., Nishi, Y. and Uemura, T.**
Alternative cell fate choice induced by low-level expression of a regulator of protein phosphatase 2A in the *Drosophila* peripheral nervous system 1591-1599

**Powell-Coffman, J. A. and Firtel, R. A.**
Characterization of a novel *Dictyostelium discoideum* prespore-specific gene, *PspB*, reveals conserved regulatory sequences 1601-1611

**Gaese, F., Kolbeck, R. and Barde, Y.-A.**
Sensory ganglia require neurotrophin-3 early in development 1613-1619

**Buchman, V. L., Sporn, M. and Davies, A. M.**
Role of transforming growth factor-beta isoforms in regulating the expression of nerve growth factor and neurotrophin-3 mRNA levels in embryonic cutaneous cells at different stages of development 1621-1629

**Chen, L., Krause, M., Sepanski, M. and Fire, A.**
The *Caenorhabditis elegans* MYOD homologue HLH-1 is essential for proper muscle function and complete morphogenesis 1631-1641

**Herzog, K.-H., Bailey, K. and Barde, Y.-A.**
Expression of the *BDNF* gene in the developing visual system of the chick 1643-1649

**Szabó, P. and Mann, J. R.**
Expression and methylation of imprinted genes during in vitro differentiation of mouse parthenogenetic and androgenetic embryonic stem cell lines 1651-1660

**Diaz-Benjumea, F. J. and Cohen, S. M.**
*wingless* acts through the *shaggy*/*zeste-white 3* kinase to direct dorsal-ventral axis formation in the *Drosophila* leg 1661-1670

**Tsai, C. and Gergen, J. P.**
Gap gene properties of the pair-rule gene *runt* during *Drosophila* segmentation 1671-1683

**Williams, E. J., Furness, J., Walsh, F. S. and Doherty, P.**
Characterisation of the second messenger pathway underlying neurite outgrowth stimulated by FGF 1685-1693

**Duhl, D. M. J., Stevens, M. E., Vrieling, H., Saxon, P. J., Miller, M. W., Epstein, C. J. and Barsh, G. S.**
Pleiotropic effects of the mouse *lethal yellow* (*$A^y$*) mutation explained by deletion of a maternally expressed gene and the simultaneous production of *agouti* fusion RNAs 1695-1708

**Serbedzija, G. N., Bronner-Fraser, M. and Fraser, S. E.**
Developmental potential of trunk neural crest cells in the mouse 1709-1718

**Montgomery, M. K. and McFall-Ngai, M.**
Bacterial symbionts induce host organ morphogenesis during early postembryonic development of the squid *Euprymna scolopes* 1719-1729

**Kolodkin, A. L., Pickup, A. T., Lin, D. M., Goodman, C. S. and Banerjee, U.**
Characterization of *Star* and its interactions with *sevenless* and *EGF receptor* during photoreceptor cell development in *Drosophila* 1731-1745

**Fogerty, F. J., Fessler, L. I., Bunch, T. A., Yaron, Y., Parker, C. G., Nelson, R. E., Brower, D. L., Gullberg, D. and Fessler, J. H.**
Tiggrin, a novel *Drosophila* extracellular matrix protein that functions as a ligand for *Drosophila* $\alpha_{PS2}\beta_{PS}$ integrins 1747-1758

**Yomogida, K., Ohtani, H., Harigae, H., Ito, E., Nishimune, Y., Engel, J. D. and Yamamoto, M.**
Developmental stage- and spermatogenic cycle-specific expression of transcription factor GATA-1 in mouse Sertoli cells 1759-1766

**Reinhard, E., Nedivi, E., Wegner, J., Skene, J. H. P. and Westerfield, M.**
Neural selective activation and temporal regulation of a mammalian GAP-43 promoter in zebrafish 1767-1775

**Sechrist, J., Scherson, T. and Bronner-Fraser, M.**
Rhombomere rotation reveals that multiple mechanisms contribute to the segmental pattern of hindbrain neural crest migration 1777-1790

**Strehlow, D., Heinrich, G. and Gilbert, W.**
The fates of the blastomeres of the 16-cell zebrafish embryo 1791-1798

**Tang, J., Jo, S. A. and Burden, S. J.**
Separate pathways for synapse-specific and electrical activity-dependent gene expression in skeletal muscle 1799-1804

**Blair, S. S., Brower, D. L., Thomas, J. B. and Zavortink, M.**
The role of *apterous* in the control of dorsoventral compartmentalization and PS integrin gene expression in the developing wing of *Drosophila* 1805-1815

**Spann, P., Ginsburg, M., Rangini, Z., Fainsod, A., Eyal-Giladi, H. and Gruenbaum, Y.**
The spatial and temporal dynamics of *Sax1* (*CHox3*) homeobox gene expression in the chick's spinal cord 1817-1828

**Tepass, U., Fessler, L. I., Aziz, A. and Hartenstein, V.**
Embryonic origin of hemocytes and their relationship to cell death in *Drosophila* 1829-1837

**Nardelli-Haefliger, D., Bruce, A. E. E. and Shankland, M.**
An axial domain of HOM/Hox gene expression is formed by morphogenetic alignment of independently specified cell lineages in the leech *Helobdella* 1839-1849

**Xu, Z., Kopf, G. S. and Schultz, R. M.**
Involvement of inositol 1,4,5-trisphosphate-mediated $Ca^{2+}$ release in early and late events of mouse egg activation 1851-1859

**White, J. A., Boffa, M. B., Jones, B. and Petkovich, M.**
A zebrafish retinoic acid receptor expressed in the regenerating caudal fin 1861-1872

**Gu, D., Lee, M.-S., Krahl, T. and Sarvetnick, N.**
Transitional cells in the regenerating pancreas 1873-1881

**Krasnow, R. E. and Adler, P. N.**
A single *frizzled* protein has a dual function in tissue polarity 1883-1893

**Bossing, T. and Technau, G. M.**
The fate of the CNS midline progenitors in *Drosophila* as revealed by a new method for single cell labelling 1895-1906

**Sedkov, Y., Tillib, S., Mizrokhi, L. and Mazo, A.**
The bithorax complex is regulated by *trithorax* earlier during *Drosophila* embryogenesis than is the Antennapedia complex, correlating with a bithorax-like expression pattern of distinct early *trithorax* transcripts 1907-1917

**Conlon, F. L., Lyons, K. M., Takaesu, N., Barth, K. S., Kispert, A., Herrmann, B. and Robertson, E. J.**
A primary requirement for *nodal* in the formation and maintenance of the primitive streak in the mouse 1919-1928

**Char, B. R., Tan, H. and Maxson, R.**
A POU gene required for early cleavage and protein accumulation in the sea urchin embryo 1929-1935

**Kuang, R. Z., Merline, M. and Kalil, K.**
Topographic specificity of corticospinal connections formed in explant coculture 1937-1947

**Banks, J. A.**
Sex-determining genes in the homosporous fern *Ceratopteris* 1949-1958

**Ellis, M. C., Weber, U., Wiersdorff, V. and Mlodzik, M.**
Confrontation of *scabrous* expressing and non-expressing cells is essential for normal ommatidial spacing in the *Drosophila* eye 1959-1969

**Evans, M. M. S., Passas, H. J. and Poethig, R. S.**
Heterochronic effects of *glossy15* mutations on epidermal cell identity in maize 1971-1981

**Castelli-Gair, J., Greig, S., Micklem, G. and Akam, M.**
Dissecting the temporal requirements for homeotic gene function 1983-1995

**Soede, R. D. M., Insall, R. H., Devreotes, P. N. and Schaap, P.**
Extracellular cAMP can restore development in *Dictyostelium* cells lacking one, but not two subtypes of early cAMP receptors (cARs). Evidence for involvement of cAR1 in aggregative gene expression 1997-2002

**Ekblom, P., Ekblom, M., Fecker, L., Klein, G., Zhang, H.-Y., Kadoya, Y., Chu, M.-L., Mayer, U. and Timpl, R.**
Role of mesenchymal nidogen for epithelial morphogenesis in vitro 2003-2014

**Robinson, D. N., Cant, K. and Cooley, L.**
Morphogenesis of *Drosophila* ovarian ring canals 2015-2025

**Webster, P. J., Suen, J. and Macdonald, P. M.**
*Drosophila virilis oskar* transgenes direct body patterning but not pole cell formation or maintenance of mRNA localization in *D. melanogaster* 2027-2037

**Thomas, G. H. and Kiehart, D. P.**
$\beta_{Heavy}$-spectrin has a restricted tissue and subcellular distribution during *Drosophila* embryogenesis 2039-2050

**Hutter, H. and Schnabel, R.**
*glp-1* and inductions establishing embryonic axes in *C. elegans* 2051-2064

**Wurst, W., Auerbach, A. B. and Joyner, A. L.**
Multiple developmental defects in *Engrailed-1* mutant mice: an early mid-hindbrain deletion and patterning defects in forelimbs and sternum 2065-2075

**Ashburner, M. and Drysdale, R.**
FlyBase – The *Drosophila* genetic database 2077-2079

**Ahn, A. H., Dziennis, S., Hawkes, R. and Herrup, K.**
The cloning of zebrin II reveals its identity with aldolase C 2081-2090

**Kelley, M. W., Turner, J. K. and Reh, T. A.**
Retinoic acid promotes differentiation of photoreceptors in vitro 2091-2102

**Porter, S. D. and Meyer, C. J.**
A distal tyrosinase upstream element stimulates gene expression in neural-crest-derived melanocytes of transgenic mice: position-independent and mosaic expression 2103-2111

**Cerioli, S., Marocco, A., Maddaloni, M., Motto, M. and Salamini, F.**
Early event in maize leaf epidermis formation as revealed by cell lineage studies 2113-2120

**Hay, B. A., Wolff, T. and Rubin, G. M.**
Expression of baculovirus P35 prevents cell death in *Drosophila* 2121-2129

**Fogarty, P., Kalpin, R. F. and Sullivan, W.**
The *Drosophila* maternal-effect mutation *grapes* causes a metaphase arrest at nuclear cycle 13 2131-2142

**Gorczyca, M. G., Phillis, R. W. and Budnik, V.**
The role of *tinman*, a mesodermal cell fate gene, in axon pathfinding during the development of the transverse nerve in *Drosophila* 2143-2152

**Serra, R., Pelton, R. W. and Moses, H. L.**
TGFβ1 inhibits branching morphogenesis and N-*myc* expression in lung bud organ cultures 2153-2161

**Souza, P., Sedlackova, L., Kuliszewski, M., Wang, J., Liu, J., Tseu, I., Liu, M., Tanswell, A. K. and Post, M.**
Antisense oligodeoxynucleotides targeting PDGF-B mRNA inhibit cell proliferation during embryonic rat lung development 2163-2173

**Okkema, P. G. and Fire, A.**
The *Caenorhabditis elegans* NK-2 class homeoprotein CEH-22 is involved in combinatorial activation of gene expression in pharyngeal muscle 2175-2186

**Davis, A. P. and Capecchi, M. R.**
Axial homeosis and appendicular skeleton defects in mice with a targeted disruption of *hoxd-11* 2187-2198

**McKay, I. J., Muchamore, I., Krumlauf, R., Maden, M., Lumsden, A. and Lewis, J.**
The *kreisler* mouse: a hindbrain segmentation mutant that lacks two rhombomeres 2199-2211

**Echelard, Y., Vassileva, G. and McMahon, A. P.**
*Cis*-acting regulatory sequences governing *Wnt-1* expression in the developing mouse CNS 2213-2224

**Shimamura, K., Hirano, S., McMahon, A. P. and Takeichi, M.**
*Wnt-1*-dependent regulation of local E-cadherin and αN-catenin expression in the embryonic mouse brain 2225-2234

**Neel, V. A. and Young, M. W.**
*igloo*, a GAP-43-related gene expressed in the developing nervous system of *Drosophila* 2235-2243

**Roth, S. and Schüpbach, T.**
The relationship between ovarian and embryonic dorsoventral patterning in *Drosophila* 2245-2257

**Rappolee, D. A., Basilico, C., Patel, Y. and Werb, Z.**
Expression and function of FGF-4 in peri-implantation development in mouse embryos 2259-2269

**Green, J. B. A., Smith, J. C. and Gerhart, J. C.**
Slow emergence of a multithreshold response to activin requires cell-contact-dependent sharpening but not prepattern 2271-2278

**Wood, H., Pall, G. and Morriss-Kay, G.**
Exposure to retinoic acid before or after the onset of somitogenesis reveals separate effects on rhombomeric segmentation and 3′ *HoxB* gene expression domains 2279-2285

**de Zulueta, P., Alexandre, E., Jacq, B. and Kerridge, S.**
Homeotic complex and *teashirt* genes co-operate to establish trunk segmental identities in *Drosophila* 2287-2296

**Freeman, M.**
Misexpression of the *Drosophila argos* gene, a secreted regulator of cell determination 2297-2304

**Mango, S. E., Thorpe, C. J., Martin, P. R., Chamberlain, S. H. and Bowerman, B.**
Two maternal genes, *apx-1* and *pie-1*, are required to distinguish the fates of equivalent blastomeres in the early *Caenorhabditis elegans* embryo 2305-2315

**Waddle, J. A., Cooper, J. A. and Waterston, R. H.**
Transient localized accumulation of actin in *Caenorhabditis elegans* blastomeres with oriented asymmetric divisions 2317-2328

**Noll, R., Sturtevant, M. A., Gollapudi, R. R. and Bier, E.**
New functions of the *Drosophila rhomboid* gene during embryonic and adult development are revealed by a novel genetic method, enhancer piracy 2329-2338

**Symes, K., Yordán, C. and Mercola, M.**
Morphological differences in *Xenopus* embryonic mesodermal cells are specified as an early response to distinct threshold concentrations of activin 2339-2346

**Worrad, D. M., Ram, P. T. and Schultz, R. M.**
Regulation of gene expression in the mouse oocyte and early preimplantation embryo: developmental changes in Sp1 and TATA box-binding protein, TBP 2347-2357

**Labouesse, M., Sookhareea, S. and Horvitz, H. R.**
The *Caenorhabditis elegans* gene *lin-26* is required to specify the fates of hypodermal cells and encodes a presumptive zinc-finger transcription factor 2359-2368

**Byrne, C., Tainsky, M. and Fuchs, E.**
Programming gene expression in developing epidermis 2369-2383

**Kopan, R., Nye, J. S. and Weintraub, H.**
The intracellular domain of mouse Notch: a constitutively activated repressor of myogenesis directed at the basic helix-loop-helix region of MyoD 2385-2396

**Trainor, P. A., Tan, S.-S. and Tam, P. P. L.**
Cranial paraxial mesoderm: regionalisation of cell fate and impact on craniofacial development in mouse embryos 2397-2408

**Braisted, J. E., Essman, T. F. and Raymond, P. A.**
Selective regeneration of photoreceptors in goldfish retina 2409-2419

**Nye, J. S., Kopan, R. and Axel, R.**
An activated *Notch* suppresses neurogenesis and myogenesis but not gliogenesis in mammalian cells 2421-2430

**Zhang, M., Kim, H.-J., Marshall, H., Gendron-Maguire, M., Lucas, D. A., Baron, A., Gudas, L. J., Gridley, T., Krumlauf, R. and Grippo, J. F.**
Ectopic *Hoxa-1* induces rhombomere transformation in mouse hindbrain 2431-2442

**Solnica-Krezel, L. and Driever, W.**
Microtubule arrays of the zebrafish yolk cell: organization and function during epiboly 2443-2455

**Neuman-Silberberg, F. S. and Schupbach, T.**
Dorsoventral axis formation in *Drosophila* depends on the correct dosage of the gene *gurken* 2457-2463

**Dolan, L., Duckett, C. M., Grierson, C., Linstead, P., Schneider, K., Lawson, E., Dean, C., Poethig, S. and Roberts, K.**
Clonal relationships and cell patterning in the root epidermis of *Arabidopsis* 2465-2474

**Scheres, B., Wolkenfelt, H., Willemsen, V., Terlouw, M., Lawson, E., Dean, C. and Weisbeek, P.**
Embryonic origin of the *Arabidopsis* primary root and root meristem initials 2475-2487

**Hoshizaki, D. K., Blackburn, T., Price, C., Ghosh, M., Miles, K., Ragucci, M. and Sweis, R.**
Embryonic fat-cell lineage in *Drosophila melanogaster* 2489-2499

**Eyal-Giladi, H., Lotan, T., Levin, T., Avner, O. and Hochman, J.**
Avian marginal zone cells function as primitive streak inducers only after their migration into the hypoblast 2501-2509

**Weinziger, R., Salgado, L. M., David, C. N. and Bosch, T. C. G.**
*Ks1*, an epithelial cell-specific gene, responds to early signals of head formation in *Hydra* 2511-2517

**Walmsley, M. E., Guille, M. J., Bertwistle, D., Smith, J. C., Pizzey, J. A. and Patient, R. K.**
Negative control of *Xenopus* GATA-2 by activin and noggin with eventual expression in precursors of the ventral blood islands 2519-2529

**Hilfiker-Kleiner, D., Dübendorfer, A., Hilfiker, A. and Nöthiger, R.**
Genetic control of sex determination in the germ line and soma of the housefly, *Musca domestica* 2531-2538

**Baldwin, H. S., Shen, H. M., Yan, H.-C., DeLisser, H. M., Chung, A., Mickanin, C., Trask, T., Kirschbaum, N. E., Newman, P. J., Albelda, S. M. and Buck, C. A.**
Platelet endothelial cell adhesion molecule-1 (PECAM-1/CD31): alternatively spliced, functionally distinct isoforms expressed during mammalian cardiovascular development 2539-2553

**Cubas, P., Modolell, J. and Ruiz-Gómez, M.**
The helix-loop-helix extramacrochaetae protein is required for proper specification of many cell types in the *Drosophila* embryo 2555-2566

**Prokop, A. and Technau, G. M.**
Early tagma-specific commitment of *Drosophila* CNS progenitor NB1-1 2567-2578

**Chow, K. L. and Emmons, S. W.**
HOM-C/Hox genes and four interacting loci determine the morphogenetic properties of single cells in the nematode male tail 2579-2592

**Sturtevant, M. A., O'Neill, J. W. and Bier, E.**
Down-regulation of *Drosophila Egf-r* mRNA levels following hyperactivated receptor signaling 2593-2600

**van der Hoeven, F., Schimmang, T., Volkmann, A., Mattei, M.-G., Kyewski, B. and Rüther, U.**
Programmed cell death is affected in the novel mouse mutant *Fused toes* (*Ft*) 2601-2607

**Fischer-Vize, J. A. and Mosley, K. L.**
*marbles* mutants: uncoupling cell determination and nuclear migration in the developing *Drosophila* eye 2609-2618

**Kuraishi, R. and Osanai, K.**
Contribution of maternal factors and cellular interaction to determination of archenteron in the starfish embryo 2619-2628

**Lonie, A., D'Andrea, R., Paro, R. and Saint, R.**
Molecular characterisation of the *Polycomblike* gene of *Drosophila melanogaster*, a *trans*-acting negative regulator of homeotic gene expression 2629-2636

**Kurtz, A., Zimmer, A., Schnütgen, F., Brüning, G., Spener, F. and Müller, T.**
The expression pattern of a novel gene encoding brain-fatty acid binding protein correlates with neuronal and glial cell development 2637-2649

**Springer, M. L., Patterson, B. and Spudich, J. A.**
Stage-specific requirement for myosin II during *Dictyostelium* development 2651-2660

**Fristrom, D., Gotwals, P., Eaton, S., Kornberg, T. B., Sturtevant, M., Bier, E. and Fristrom, J. W.**
*blistered*: a gene required for vein/intervein formation in wings of *Drosophila* 2661-2671

**George, K. M., Leonard, M. W., Roth, M. E., Lieuw, K. H., Kioussis, D., Grosveld, F. and Engel, J. D.**
Embryonic expression and cloning of the murine GATA-3 gene 2673-2686

**Delannet, M., Martin, F., Bossy, B., Cheresh, D. A., Reichardt, L. F. and Duband, J.-L.**
Specific roles of the αVβ1, αVβ3 and αVβ5 integrins in avian neural crest cell adhesion and migration on vitronectin 2687-2702

**Itoh, K. and Sokol, S. Y.**
Heparan sulfate proteoglycans are required for mesoderm formation in *Xenopus* embryos 2703-2711

**Chamberlin, H. M. and Sternberg, P. W.**
The *lin-3/let-23* pathway mediates inductive signalling during male spicule development in *Caenorhabditis elegans* 2713-2721

**Lohnes, D., Mark, M., Mendelsohn, C., Dollé, P., Dierich, A., Gorry, P., Gansmuller, A. and Chambon, P.**
Function of the retinoic acid receptors (RARs) during development. (I) Craniofacial and skeletal abnormalities in RAR double mutants 2723-2748

**Mendelsohn, C., Lohnes, D., Décimo, D., Lufkin, T., LeMeur, M., Chambon, P. and Mark, M.**
Function of the retinoic acid receptors (RARs) during development. (II) Multiple abnormalities at various stages of organogenesis in RAR double mutants 2749-2771

**Timmons, P. M., Wallin, J., Rigby, P. W. J. and Balling, R.**
Expression and function of *Pax 1* during development of the pectoral girdle 2773-2785

**Hatano, O., Takayama, K., Imai, T., Waterman, M. R., Takakusu, A., Omura, T. and Morohashi, K.-i.**
Sex-dependent expression of a transcription factor, Ad4BP, regulating steroidogenic P-450 genes in the gonads during prenatal and postnatal rat development 2787-2797

**Mathies, L. D., Kerridge, S. and Scott, M. P.**
Role of the *teashirt* gene in *Drosophila* midgut morphogenesis: secreted proteins mediate the action of homeotic genes 2799-2809

**Emerling, D. E. and Lander, A. D.**
Laminar specific attachment and neurite outgrowth of thalamic neurons on cultured slices of developing cerebral neocortex 2811-2822

**Seydoux, G. and Fire, A.**
Soma-germline asymmetry in the distributions of embryonic RNAs in *Caenorhabditis elegans* 2823-2834

**Damen, W. G. M., van Grunsven, L. A. and van Loon, A. E.**
Transcriptional regulation of tubulin gene expression in differentiating trochoblasts during early development of *Patella vulgata* 2835-2845

**Detterbeck, S., Morandini, P., Wetterauer, B., Bachmair, A., Fischer, K. and MacWilliams, H. K.**
The 'prespore-like cells' of *Dictyostelium* have ceased to express a prespore gene: analysis using short-lived β-galactosidases as reporters 2847-2855

**Bichler, G. and Weijer, C. J.**
A *Dictyostelium* anterior-like cell mutant reveals sequential steps in the prespore prestalk differentiation pathway 2857-2868

**Myohara, M.**
Fate mapping of the silkworm, *Bombyx mori*, with localized UV irradiation of the egg at fertilization 2869-2877

**Hatada, Y. and Stern, C. D.**
A fate map of the epiblast of the early chick embryo 2879-2890

**Richardson, D. L., Loomis, W. F. and Kimmel, A. R.**
Progression of an inductive signal activates sporulation in *Dictyostelium discoideum* 2891-2900

**Crittenden, S. L., Troemel, E. R., Evans, T. C. and Kimble, J.**
GLP-1 is localized to the mitotic region of the *C. elegans* germ line 2901-2911

**Henderson, S. T., Gao, D., Lambie, E. J. and Kimble, J.**
*lag-2* may encode a signaling ligand for the GLP-1 and LIN-12 receptors of *C. elegans* 2913-2924

**Tam, P. P. L., Zhou, S. X. and Tan, S.-S.**
X-chromosome activity of the mouse primordial germ cells revealed by the expression of an X-linked *lacZ* transgene 2925-2932

**Feil, R., Walter, J., Allen, N. D. and Reik, W.**
Developmental control of allelic methylation in the imprinted mouse *Igf2* and *H19* genes 2933-2943

**Langeland, J. A., Attai, S. F., Vorwerk, K. and Carroll, S. B.**
Positioning adjacent pair-rule stripes in the posterior *Drosophila* embryo 2945-2955

**Campbell, G., Göring, H., Lin, T., Spana, E., Andersson, S., Doe, C. Q. and Tomlinson, A.**
RK2, a glial-specific homeodomain protein required for embryonic nerve cord condensation and viability in *Drosophila* 2957-2966

**Torres-Ruiz, R. A. and Jürgens, G.**
Mutations in the *FASS* gene uncouple pattern formation and morphogenesis in *Arabidopsis* development 2967-2978

**Ang, S.-L., Conlon, R. A., Jin, O. and Rossant, J.**
Positive and negative signals from mesoderm regulate the expression of mouse *Otx2* in ectoderm explants 2979-2989

**Carrasco, D., Weih, F. and Bravo, R.**
Developmental expression of the mouse c-*rel* proto-oncogene in hematopoietic organs 2991-3004

**Granato, M., Schnabel, H. and Schnabel, R.**
Genesis of an organ: molecular analysis of the *pha-1* gene 3005-3017

**Mango, S. E., Lambie, E. J. and Kimble, J.**
The *pha-4* gene is required to generate the pharyngeal primordium of *Caenorhabditis elegans* 3019-3031

**González-García, M., Pérez-Ballestero, R., Ding, L., Duan, L., Boise, L. H., Thompson, C. B. and Núñez, G.**
*bcl-x*$_L$ is the major *bcl-x* mRNA form expressed during murine development and its product localizes to mitochondria 3033-3042

**Schulz, C. and Tautz, D.**
Autonomous concentration-dependent activation and repression of *Krüppel* by *hunchback* in the *Drosophila* embryo 3043-3049

**ESSAY IN DEVELOPMENT**

**Yamada, T.**
Caudalization by the amphibian organizer: *brachyury*, convergent extension and retinoic acid 3051-3062

**CONTRIBUTED PAPERS**

**Kalb, R. G.**
Regulation of motor neuron dendrite growth by NMDA receptor activation 3063-3071

**Bober, E., Brand-Saberi, B., Ebensperger, C., Wilting, J., Balling, R., Paterson, B. M., Arnold, H.-H. and Christ, B.**
Initial steps of myogenesis in somites are independent of influence from axial structures 3073-3082

**Braun, T., Bober, E., Rudnicki, M. A., Jaenisch, R. and Arnold, H.-H.**
MyoD expression marks the onset of skeletal myogenesis in *Myf-5* mutant mice 3083-3092

**Nishida, H.**
Localization of determinants for formation of the anterior-posterior axis in eggs of the ascidian *Halocynthia roretzi* 3093-3104

**Affolter, M., Nellen, D., Nussbaumer, U. and Basler, K.**
Multiple requirements for the receptor serine/threonine kinase *thick veins* reveal novel functions of TGFβ homologs during *Drosophila* embryogenesis 3105-3117

**Günther, T., Struwe, M., Aguzzi, A. and Schughart, K.**
*open brain*, a new mouse mutant with severe neural tube defects, shows altered gene expression patterns in the developing spinal cord 3119-3130

**Edgar, B. A., Lehman, D. A. and O'Farrell, P. H.**
Transcriptional regulation of *string* (*cdc25*): a link between developmental programming and the cell cycle 3131-3143

**Cheng, L., Gearing, D. P., White, L. S., Compton, D. L., Schooley, K. and Donovan, P. J.**
Role of leukemia inhibitory factor and its receptor in mouse primordial germ cell growth 3145-3153

**Grossniklaus, U., Cadigan, K. M. and Gehring, W. J.**
Three maternal coordinate systems cooperate in the patterning of the *Drosophila* head 3155-3171

**Carroll, P. M., Tsirka, S. E., Richards, W. G., Frohman, M. A. and Strickland, S.**
The mouse tissue plasminogen activator gene 5′ flanking region directs appropriate expression in development and a seizure-enhanced response in the CNS 3173-3183

**Oliver, B., Singer, J., Laget, V., Pennetta, G. and Pauli, D.**
Function of *Drosophila ovo*$^+$ in germ-line sex determination depends on X-chromosome number 3185-3195

**Labosky, P. A., Barlow, D. P. and Hogan, B. L. M.**
Mouse embryonic germ (EG) cell lines: transmission through the germline and differences in the methylation imprint of insulin-like growth factor 2 receptor (*Igf2r*) gene compared with embryonic stem (ES) cell lines 3197-3204

**Mann, R. S.**
*engrailed*-mediated repression of *Ultrabithorax* is necessary for the parasegment 6 identity in *Drosophila* 3205-3212

**Spencer-Dene, B., Thorogood, P., Nair, S., Kenny, A. J., Harris, M. and Henderson, B.**
Distribution of, and a putative role for, the cell-surface neutral metallo-endopeptidases during mammalian craniofacial development 3213-3226

**Crawford, B. D. and Burke, R. D.**
YIGSR domain of laminin binds surface receptors of mesenchyme and stimulates migration during gastrulation in sea urchins 3227-3234

**Schwartz, B. W., Yeung, E. C. and Meinke, D. W.**
Disruption of morphogenesis and transformation of the suspensor in abnormal *sus*pensor mutants of *Arabidopsis* 3235-3245

**Duckett, C. M., Oparka, K. J., Prior, D. A. M., Dolan, L. and Roberts, K.**
Dye-coupling in the root epidermis of *Arabidopsis* is progressively reduced during development 3247-3255

**Ng, Y.-K., George, K. M., Engel, J. D. and Linzer, D. I. H.**
GATA factor activity is required for the trophoblast-specific transcriptional regulation of the mouse placental lactogen I gene 3257-3266

**Helms, J., Thaller, C. and Eichele, G.**
Relationship between retinoic acid and *sonic hedgehog*, two polarizing signals in the chick wing bud 3267-3274

**Emery, I. F., Bedian, V. and Guild, G. M.**
Differential expression of *Broad-Complex* transcription factors may forecast tissue-specific developmental fates during *Drosophila* metamorphosis 3275-3287

**Gueth-Hallonet, C., Santa-Maria, A., Verroust, P. and Maro, B.**
GP330 is specifically expressed in outer cells during epithelial differentiation in the preimplantation mouse embryo 3289-3299

**Pruitt, S. C.**
Discrete endogenous signals mediate neural competence and induction in P19 embryonal carcinoma stem cells 3301-3312

**Moore, G. D., Ayabe, T., Visconti, P. E., Schultz, R. M. and Kopf, G. S.**
Roles of heterotrimeric and monomeric G proteins in sperm-induced activation of mouse eggs 3313-3323

**Moskowitz, I. P. G., Gendreau, S. B. and Rothman, J. H.**
Combinatorial specification of blastomere identity by *glp-1*-dependent cellular interactions in the nematode *Caenorhabditis elegans* 3325-3338

**Chang, D. T., López, A., von Kessler, D. P., Chiang, C., Simandl, B. K., Zhao, R., Seldin, M. F., Fallon, J. F. and Beachy, P. A.**
Products, genetic linkage and limb patterning activity of a murine *hedgehog* gene 3339-3353

**Lawrence, P. A., Johnston, P. and Vincent, J.-P.**
Wingless can bring about a mesoderm-to-ectoderm induction in *Drosophila* embryos 3355-3359

**Lee, R. K. K., Stainier, D. Y. R., Weinstein, B. M. and Fishman, M. C.**
Cardiovascular development in the zebrafish. II. Endocardial progenitors are sequestered within the heart field 3361-3366

**Castrillon, D. H. and Wasserman, S. A.**
*diaphanous* is required for cytokinesis in *Drosophila* and shares domains of similarity with the products of the *limb deformity* gene 3367-3377

**Bally-Cuif, L. and Wassef, M.**
Ectopic induction and reorganization of *Wnt-1* expression in quail/chick chimeras 3379-3394

**Lang, R., Lustig, M., Francois, F., Sellinger, M. and Plesken, H.**
Apoptosis during macrophage-dependent ocular tissue remodelling 3395-3403

**Kandasamy, M. K., Nasrallah, J. B. and Nasrallah, M. E.**
Pollen-pistil interactions and developmental regulation of pollen tube growth in *Arabidopsis* 3405-3418

**Latham, K. E.**
Strain-specific differences in mouse oocytes and their contributions to epigenetic inheritance 3419-3426

**Smith, C. M. and Weisblat, D. A.**
Micromere fate maps in leech embryos: lineage-specific differences in rates of cell proliferation 3427-3438

**Hoch, M., Broadie, K., Jäckle, H. and Skaer, H.**
Sequential fates in a single cell are established by the neurogenic cascade in the Malpighian tubules of *Drosophila* 3439-3450

**Sanvito, F., Herrera, P.-L., Huarte, J., Nichols, A., Montesano, R., Orci, L. and Vassalli, J.-D.**
TGF-β1 influences the relative development of the exocrine and endocrine pancreas in vitro 3451-3462

**Lindsay, L. L. and Clark Jr, W. H.**
Signal transduction during shrimp oocyte activation by extracellular $Mg^{2+}$: roles of inositol 1,4,5-trisphosphate, tyrosine kinases and G-proteins 3463-3472

**Mardon, G., Solomon, N. M. and Rubin, G. M.**
*dachshund* encodes a nuclear protein required for normal eye and leg development in *Drosophila* 3473-3486

**Fukuda, K., Ishii, Y., Saiga, H., Shiokawa, K. and Yasugi, S.**
Mesenchymal regulation of epithelial gene expression in developing avian stomach: 5′-flanking region of pepsinogen gene can mediate mesenchymal influence on its expression 3487-3495

**Milner, R. and ffrench-Constant, C.**
A developmental analysis of oligodendroglial integrins in primary cells: changes in αv-associated β subunits during differentiation 3497-3506

**Carroll, J., Swann, K., Whittingham, D. and Whitaker, M.**
Spatiotemporal dynamics of intracellular $[Ca^{2+}]_i$ oscillations during the growth and meiotic maturation of mouse oocytes 3507-3517

**Murphy, M., Reid, K., Ford, M., Furness, J. B. and Bartlett, P. F.**
FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors 3519-3528

**Buzin, C. H., Mann, J. R. and Singer-Sam, J.**
Quantitative RT-PCR assays show *Xist* RNA levels are low in mouse female adult tissue, embryos and embryoid bodies 3529-3536

**Jennings, B., Preiss, A., Delidakis, C. and Bray, S.**
The Notch signalling pathway is required for *Enhancer of split* bHLH protein expression during neurogenesis in the *Drosophila* embryo 3537-3548

**Dharmawardhane, S., Cubitt, A. B., Clark, A. M. and Firtel, R. A.**
Regulatory role of the Gα1 subunit in controlling cellular morphogenesis in *Dictyostelium* 3549-3561

**Wharton Jr, K. A., Franks, R. G., Kasai, Y. and Crews, S. T.**
Control of CNS midline transcription by asymmetric E-box-like elements: similarity to xenobiotic responsive regulation 3563-3569

**Gordon-Thomson, C. and Fabian, B. C.**
Hypoblastic tissue and fibroblast growth factor induce blood tissue (haemoglobin) in the early chick embryo 3571-3579

**Chiang, C., Patel, N. H., Young, K. E. and Beachy, P. A.**
The novel homeodomain gene *buttonless* specifies differentiation and axonal guidance functions of *Drosophila* dorsal median cells 3581-3593

**Cabrera, C. V., Alonso, M. C. and Huikeshoven, H.**
Regulation of scute function by extramacrochaete in vitro and in vivo 3595-3603

**Manak, J. R., Mathies, L. D. and Scott, M. P.**
Regulation of a *decapentaplegic* midgut enhancer by homeotic proteins 3605-3619

**Feijen, A., Goumans, M. J. and van den Eijnden-van Raaij, A. J. M.**
Expression of activin subunits, activin receptors and follistatin in postimplantation mouse embryos suggests specific developmental functions for different activins 3621-3637

**Wells, J. M. and Strickland, S.**
Aprotinin, a Kunitz-type protease inhibitor, stimulates skeletal muscle differentiation 3639-3647

**Ferreiro, B., Kintner, C., Zimmerman, K., Anderson, D. and Harris, W. A.**
*XASH* genes promote neurogenesis in *Xenopus* embryos 3649-3655

**Damsky, C. H., Librach, C., Lim, K.-H., Fitzgerald, M. L., McMaster, M. T., Janatpour, M., Zhou, Y., Logan, S. K. and Fisher, S. J.**
Integrin switching regulates normal trophoblast invasion 3657-3666

**Fagotto, F. and Gumbiner, B. M.**
β-catenin localization during *Xenopus* embryogenesis: accumulation at tissue and somite boundaries 3667-3679

**Hodgkin, J., Zellan, J. D. and Albertson, D. G.**
Identification of a candidate primary sex determination locus, *fox-1*, on the X chromosome of *Caenorhabditis elegans* 3681-3689

**Index of Authors and Titles** 3691-3704

**Subject Index** 3705-3747